




Splice Laminate Pvt. Ltd.

Al-19/A-1, Sector-13, Gida, Gorakhpur, Uttar Pradesh -273209, India Website:www.spliceply.com
Toll Free No.: 1800 120 636363



SCAN QR TO DOWNLOAD E-CATALOGUE









Hai mazboot, rahe atoot!

Splice has done various projects with many prestigious clients and provided them with the results of their choice. Elevate the look of your surroundings with these majestic products we have to offer. Beautify your place with mystique imprints of nature.



HOTEL PROJECT



COLLEGE PROJECT



SCHOOL PROJECT





HOUSING PROJECT HOSPITAL PROJECT





LAMINATED DOORS

Splice Laminates Doors are exceptionally hardwearing, meeting the requirements of heavy traffic and ering a high resistance to abrasion, impact and scratches. Splice laminates Doors are available in all the popular timber woodgrains but also provide the designer with a unique opportunity to introduce innovative finishes and textures that aren't available naturally. As standard each door is manufactured from a high performance solid core that has been successfully tested to severe duty. Lightweight and High Performance Solid Timber Cores are also available. Each door leaf is lipped to all edges as standard, with the laminate concealing the hardwood lippings. Exposed lippings are available as an option.



ELEGANT IN LOOKS

KEY FEATURES

LAMINATE DOORS

ENDLESS CHOICES & COLUR PATTERNS

ARE DURABLE

ECO FRIENDLY

EASY TO INSTALL















CHEMICAL AND








OUR PRIDE.

FLUSH DOOR


FLUSH DOOR IS: 2202

As one of India's leading interior flush door manufacturer, Splice consistently present real design innovation, coupled with performance and superior construction that is certain to draw admiration. The continuous Research & Development has enabled Splice to attain high performance levels which are recognized and certified, according to the Indian standards. Splice always seeks integrated and innovative solutions capable of meeting the requirements of the various markets.





Hard Wood Frame - Double Core 9 Ply Construction




Applications : Door shutters in homes and offices.




















BORER / TERMITE






TECHNICAL SPECIFICATIONS

SR. NO.	Properties	Specified as per IS:2046-1995	SPLICE Laminates 0.8mm	Specified as per IS:2046-1995 HGS	SPLICE Laminates 1mm
1	Thickness(mm)	0.8mm(± 10%)	0.8mm(± 5%)	1.0mm (± 10%)	1.0mm (± 5%)
2	Resistance to surface wear (revolutions)	≥ 350 (revolutions)	>350 (revolutions)	≥ 350 (revolutions)	>400 (revolutions)
3	Resistance to immersion in boiling water				
	Mass increase(%)	12.0% (Max)	7.0% (Max)	10.0%(Max)	6.0%(Max)
	Thickness increase (%)	14.0% (Max)	8.0% (Max)	11.8%(Max)	7.0%(Max)
4	Resistance to dry heat at 180 degree C	Should pass test	Passed	Should pass test	Passed
5	Dimensional Stability at deviated temperature				
	Longitudinal (%)	0.625%(Max)	0.40%(Max)	0.55%(Max)	0.35%(Max)
	Transverse (%)	1.10%(Max)	0.80%(Max)	1.025%(Max)	0.75%(Max)
6	Dimensional Stability at 20 degree C				
	Longitudinal (%)	0.425%(Max)	0.32%(Max)	0.375%(Max)	0.275%(Max)
	Transverse (%)	0.625%(Max)	0.52%(Max)	0.60%(Max)	0.48%(Max)
7	Resistance to impact by small diameter ball	20 N (Min)	25 N(Min)	20 N (Min)	25 N(Min)
8	Resistance to craking	Should pass test	Passed	Should pass test	Passed
9	Resistance to scratching	2 N (Min)	2.5 N(Min)	2 N (Min)	3 N(Min)
10	Resistance to staining	Should pass test	Passed	Should pass test	Passed
11	Resistance to colour change	Wool Standard		Wool Standard	
	In Xenon ARC light	Should pass test	Passed	Should pass test	Passed
	In enclosed Carbon ARC light	Should pass test	Passed	Should pass test	Passed
12	Resistance to Cigarette burns	Should pass test	Passed	Should pass test	Passed
13	Resistance to Steam	Should pass test	Passed	Should pass test	Passed
14	Appearance	No ABC Defects	No ABC Defects	No ABC Defects	No ABC Defects
15	Specify gravity gm/cm		1.33(Min)		1.36(Min)

LAMINATES AVAILABLE IN SIZES: 7FT X 3 FT | 7FT X 3.25FT | 8FT X 4FT FLUSH DOOR: AVAILABLE ALL SIZE AND THICKNESS LAMINATED DOOR: AVAILABLE ALL SIZE AND THICKNESS









827 | MOCHA WOOD



812 | ASIAN WALNUT DARK






820 | ACACIA DARK














808 | CRISP ASH







809 | ROSE WOOD









828 | VOLCANICE DARK



822 | PERLATO



829 | VOLCANICE LIGHT



825 | TEAK DARK





Hai mazboot, rahe atoot!











826 | TEAK LIGHT



814 | LIME WOOD



810 | CHICAGO WOOD













806 | RAW WOOD



817 | LATIN WALNUT



807 | STRAIGHT WALNUT











830 | VERTICO



803 | SAPELLI



831 | JUNGLE WOOD



816 | GOLDEN OAK













818 | COOPER



819 | METAL WOOD



824 | PECAN WOOD





24

Hai mazboot, rahe atoot!





802 | RUSSIAN WALNUT LIGHT



821 | ACACIA LIGHT



911 | ZARI KOTA



909 | BLOOM WALNUT



801 | ASIAN WALNUT LIGHT



Let decors come alive with the exotic infusion of Splice's range of products.



903 | BENGALI SHISHAM



904 | RUSTIC WALNUT







906 | SCENTERED WOOD



908 | ZEBRANO WOOD



901 | RUST CHERRY



905 | ZEBRANO WOOD LIGHT



910 | SAPE WALNUT



907 | FIRE WOOD (HZ)



902 | VENTURA OAK



913 | AFRICAN TEAK











914 | BALSA DARK



915 | BALSA LIGHT



7021 | HIGHLAND PINE



7022 | FLOWERY WANGE



The modish edge of these designs exude versatility and give your ambience that flair of inimitable class



912 | TRAVENTINO



7023 | WALNUT



7024 | CHERRY WOOD









7025 | WANGE



7027 | AMERICAN WALNUT



7026 | BAVERIN BEECH



7028 | NAINA TEAK




7029 | IMPACT WOOD



7031 | BURMA TEAK



7030 | LIGHT FLOWERY WANGE



7032 | DALBERGIA

